

Table 4

WAGON VAN, COMPACT, 4X2

The compact wagon van specified, shall be an enclosed all-steel, unitized or on-frame constructed, integral body and cab. The side panels and all doors shall be provided with OEM available opening style windows. Vehicle shall be equipped with a driver and passenger high-back bucket seats and removable rear seat(s) for multi-choice seating arrangement for passengers. Interior shall have trimmed side and door panels and full length headlining; cloth interior, front and rear floor carpet; door checks or straps; dome lights (s); scuff plates or skid-resistant surface at side doors; spare tire cover if inside mounting is provided; engine maintenance necessities serviceable from the outside. Height of van shall not exceed 196 cm (77 in).

Item # 20 - 4X2

		DAIMLER CHRYSLER	FORD	GENERAL MOTORS
		GRAND CARAVAN	WINDSTAR	VENTURE
BODY/CHASSIS				
MFG. MODEL CODE		RSKL53	A50	1UM16
PAYLOAD min. kg. (lbs.)	544 (1200)	1296	1,200	1300
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	2404 (5300) / 2698 (5950)	5500	5,540	5357
WHEEL BASE min./max. cm. (in.)	302 (119) / 307 (121)	119.3	120.7	120
BODY SIZE, OVERALL LENGTH min. cm. (in.)	508 (200)	200.5	200.9	200.9
ENGINE				
ENGINE TYPE (Cylinder/Liter)	6 / 3.3	6/3.3	6/3.8	6/3.4
HORSEPOWER (min.)	180	180	200	180
TORQUE (ft.-lb.)	210	210	240	210
COOLING SYSTEM	HDA	comply	comply	comply
TRANSMISSION				
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed	4 speed
DRIVE AXLE				
PRIMARY DRIVE AXLE	front	front	front	front
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	2.49	3.56	3.29
ELECTRICAL				
ALTERNATOR min. (Amps)	105	140	135	105
BATTERY min. (CCA)	600	600	650	600
EXTERIOR				
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply	comply
WINDOWS	all around	comply	comply	comply
REAR WINDOW ELECTRIC DEFROSTER	req.	comply	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply	comply
REAR WINDOW WIPER	intermittent & multi-speed w/washers	comply	comply	comply
DOORS				
KEYED DOOR LOCKS				
REAR DOOR TYPE	liftgate	left and right lift gate	left and right liftgate	left and right liftgate
SIDE DOOR TYPE	sliding left & right	comply	comply	comply
FUEL				
FUEL CAPACITY min. Liters (gals.)	75 (20)	20	26	25
INTERIOR				
AIR CONDITIONING/HEATING	front and rear	comply	comply	comply
RADIO	am/fm w/clock	am/fm/cass w/clock	am/fm w/clock	am/fm w/clock cd
POWER STEERING	req	comply	comply	comply
UPHOLSTERY	cloth	cloth	cloth	cloth
FLOOR COVERING	carpet	comply	comply	comply
FLOOR MATS	req	front and rear	front and rear	front and rear
SEATS				
SEATING CAPACITY	7	7	7	7
FIRST ROW SEAT TYPE	2 - individual	Bucket	bucket	bucket
SAFETY				
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply	comply
SUSPENSION				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
TIRES AND WHEELS				
WHEEL DIAMETER	15	15	15	15
TIRES	P215/R/AS	P215/70/AS	P215/R/AS	P215/R/AS

Table 4 - CONTINUED

WAGON VAN, COMPACT, 4X2

Item # 20 - OPTIONAL EQUIPMENT

		DAIMLER CHRYSLER GRAND CARAVAN	FORD WINDSTAR	GENERAL MOTORS VENTURE
BODY/CHASSIS				
XS	SHORT BODY	Available	N/A	Available
ENGINE				
E2	UPGRADED 6 CYLINDER ENGINE Eng-Cyl/HP/Torque	Available 6/3.8,215,245	Std 6/3.8,200,240	N/A ", "
E85	ETHANOL FLEXIBLE FUEL	Available	N/A	N/A
EH	ENGINE BLOCK HEATER	Available	Available	Available
DRIVE AXLE				
ATC	AUTOMATIC TRACTION CONTROL	Available	Available	Available
EXTERIOR				
DTG	DARK TINTED GLASS	Available	Available	Std
DRL	DAYTIME RUNNING LIGHTS	Available	N/A	Std
LR	LUGGAGE ROOF RACK	Available	Available	Available
INTERIOR				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available	Std
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available	Std
SK	METRIC ODOMETER	Available	Available	Available
RKE	REMOTE KEYLESS ENTRY	Available	Available	Std
PWL	POWER WINDOWS & DOOR LOCKS	Available	Std	Std
SEATS				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Available	Std	N/A
SCC	INDIVIDUAL HIGH BACK SEATS	Available	Std	N/A
S5	5 PASSENGER SEATING	Available	N/A	N/A
SAFETY				
SIAB	SIDE IMPACT AIR BAGS	Available	Available	Std
DELIVERY				
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
MISCELLANEOUS				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available



Table 4 - CONTINUED

WAGON VAN, COMPACT, 4X2

The compact wagon van specified, shall be an enclosed all-steel, unitized or on-frame constructed, integral body and cab. The side panels and all doors shall be provided with OEM available opening style windows. Vehicle shall be equipped with a driver and passenger high-back bucket seats and removable rear seat(s) for multi-choice seating arrangement for passengers. Interior shall have trimmed side and door panels and full length headlining; cloth interior, front and rear floor carpet; door checks or straps; dome lights (s); scuff plates or skid-resistant surface at side doors; spare tire cover if inside mounting is provided; engine maintenance necessities serviceable from the outside. Height of van shall not exceed 196 cm (77 in).

Item # 20A - 4X2

GSA COMPONENTS	GSA MIN. REQ.	GM ASTRO
BODY/CHASSIS		
MFG. MODEL CODE		CM11006
PAYLOAD min. kg. (lbs.)	726 (1600)	1600
GROSS VEHICLE WEIGHT RATING min. kg. (lbs.)	2698 (5950)	5950
WHEEL BASE min. cm. (in.)	282 (111)	111.2
BODY SIZE, OVERALL LENGTH min. cm. (in.)	480 (189)	189.8
ENGINE		
ENGINE TYPE (Cylinder/Liter)	6/4.3	6/4.3
HORSEPOWER (min.)	190	190
TORQUE (ft.-lb.)	250	250
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	rear	comply
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.42
ELECTRICAL		
ALTERNATOR min. (Amps)	105	105
BATTERY min. (CCA)	600	600
EXTERIOR		
DAYTIME RUNNING LIGHTS	min.	comply
DARK TINTED GLASS	min.	comply
LUGGAGE ROOF RACK	min.	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDOWS	all around	comply
REAR WINDOW ELECTRIC DEFROSTER	req.	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
REAR WINDOW WIPER	intermittent & multi-speed w/washers	comply
DOORS		
KEYED DOOR LOCKS		left and right
REAR DOOR TYPE	liftgate	dutch doors w liftgate
SIDE DOOR TYPE	sliding left & right	comply
FUEL		
FUEL CAPACITY min. Liters (gals.)	102 (27)	27
INTERIOR		
CRUISE CONTROL AND TILT STEERING	min.	comply
REMOTE KEYLESS ENTRY	min.	comply
AIR CONDITIONING/HEATING	front and rear	comply
RADIO	am/fm w/clock/CD	am/fm w/clock cd
POWER STEERING	req	comply
UPHOLSTERY	cloth	cloth
FLOOR COVERING	carpet	comply
POWER WINDOWS & DOOR LOCKS	min.	front and rear
FLOOR MATS	req	front and rear
SEATS		
SEATING CAPACITY	8	8
FIRST ROW SEAT TYPE	2 - individual	bucket

Table 4 - CONTINUED

WAGON VAN, COMPACT, 4X2

Item # 20A - 4X2

GSA COMPONENTS	GSA MIN. REQ.	GM ASTRO
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
WHEEL DIAMETER	15	15
TIRES	P215/R/AS	P215/R/AS



Table 4 - CONTINUED

WAGON VAN, COMPACT, 4X2

Item # 20A - OPTIONAL EQUIPMENT

ENGINE		GM ASTRO
EH	ENGINE BLOCK HEATER	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
EXTERIOR		
595F	14260 595 PAINT (FOREST SERVICE)	Available
INTERIOR		
SK	METRIC ODOMETER	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available

Table 4 - CONTINUED
WAGON VAN, COMPACT, 4X2

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK

Table 4 - CONTINUED

WAGON VAN, COMPACT, 4X4

The compact wagon van specified shall be an enclosed all-steel, unitized or on-frame constructed, integral body and cab. The side panels and all doors shall be provided with OEM available opening style windows. Vehicle shall be equipped with a driver and passenger high-back bucket seats and removable rear seat(s) for multi-choice seating arrangement for passengers. Interior shall have trimmed side and door panels and full length headlining; cloth interior, front and rear floor carpet; door checks or straps; dome light(s); scuff plates or skid-resistant surface at side doors; spare tire cover if inside mounting is provided; engine maintenance necessities serviceable from the outside. Height of van shall not exceed 196 cm (77 in).

Item # 25 - 4X4

GSA COMPONENTS	GSA MIN. REQ.	DAIMLER CHRYSLER GRAND CARAVAN	GM VENTURE
BODY/CHASSIS			
MFG. MODEL CODE		RSDH53	1UT16
PAYLOAD min. kg. (lbs.)	522 (1150)	1239	1150
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	2300 (5100) / 2558 (5640)	5800	5357
WHEEL BASE min./max. cm. (in.)	302 (119) / 307 (121)	119.3	120
BODY SIZE, OVERALL LENGTH min. cm. (in.)	508 (200)	200.5	200.9
ENGINE			
ENGINE TYPE (Cylinder/Liter)	6 / 3.4	6/3.8	6/3.4
HORSEPOWER (min.)	185	215	185
TORQUE (ft.-lb.)	210	245	210
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	all wheel drive	comply	comply
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	2.37	3.29
ELECTRICAL			
ALTERNATOR min. (Amps)	105	160	105
BATTERY min. (CCA)	600	600	600
EXTERIOR			
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDOWS	all around	comply	comply
REAR WINDOW ELECTRIC DEFROSTER	req.	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply
REAR WINDOW WIPER	intermittent & multi-speed w/washers	comply	comply
DOORS			
KEYED DOOR LOCKS		left only	left and right
REAR DOOR TYPE	liftgate	lift gate	liftgate
SIDE DOOR TYPE	sliding left & right	comply	comply
FUEL			
FUEL CAPACITY min. Liters (gals.)	75 (20)	20	25
INTERIOR			
AIR CONDITIONING/HEATING	front and rear	comply	comply
RADIO	am/fm w/clock	am/fm/cass w/clock	am/fm w/clock cd
POWER STEERING	req	comply	comply
UPHOLSTERY	cloth	cloth	cloth
FLOOR COVERING	carpet	comply	comply
FLOOR MATS	req	front and rear	front and rear
SEATS			
SEATING CAPACITY	7	7	7
FIRST ROW SEAT TYPE	2 - individual	Bucket	bucket
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
WHEEL DIAMETER	15	16	16
TIRES	P215/R/AS	P215/R/AS	P215/R

Table 4 - CONTINUED

WAGON VAN, COMPACT, 4X4

Item # 25 - OPTIONAL EQUIPMENT

		DAIMLER CHRYSLER GRAND CARAVAN	GM VENTURE
ENGINE			
EH	ENGINE BLOCK HEATER	Available	Available
EXTERIOR			
DTG	DARK TINTED GLASS	Available	Std
DRL	DAYTIME RUNNING LIGHTS	Available	Std
LR	LUGGAGE ROOF RACK	Available	Available
INTERIOR			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Std
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Std
SK	METRIC ODOMETER	Available	Available
RKE	REMOTE KEYLESS ENTRY	Available	Std
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
SEATS			
S5	5 PASSENGER SEATING	Available	Std
SAFETY			
SIAB	SIDE IMPACT AIR BAGS	Available	Std
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available



Table 4 - CONTINUED

WAGON VAN, COMPACT, 4X4

The compact wagon van specified shall be an enclosed all-steel, unitized or on-frame constructed, integral body and cab. The side panels and all doors shall be provided with OEM available opening style windows. Vehicle shall be equipped with a driver and passenger high-back bucket seats and removable rear seat(s) for multi-choice seating arrangement for passengers. Interior shall have trimmed side and door panels and full length headlining; cloth interior, front and rear floor carpet; door checks or straps; dome lights(s); scuff plates or skid-resistant surface at side doors; spare tire cover if inside mounting is provided; engine maintenance necessities serviceable from the outside. Height of van shall not exceed 196 cm (77 in).

Item # 25A - 4X4

GSA COMPONENTS	GSA MIN. REQ.	GM ASTRO
BODY/CHASSIS		
MFG. MODEL CODE		CL11006
PAYLOAD min. kg. (lbs.)	753 (1660)	1660
GROSS VEHICLE WEIGHT RATING min. kg. (lbs.)	2766 (6100)	6100
WHEEL BASE min. cm. (in.)	282 (111)	111.2
BODY SIZE, OVERALL LENGTH min. cm. (in.)	480 (189)	189.8
ENGINE		
ENGINE TYPE (Cylinder/Liter)	6 / 4.3	6/4.3
HORSEPOWER (min.)	190	190
TORQUE (ft.-lb.)	250	250
COOLING SYSTEM	HDA	comply
TRANSMISSION		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
DRIVE AXLE		
PRIMARY DRIVE AXLE	all wheel drive	comply
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.42
ELECTRICAL		
ALTERNATOR min. (Amps)	105	105
BATTERY min. (CCA)	600	600
EXTERIOR		
DAYTIME RUNNING LIGHTS	min.	comply
DARK TINTED GLASS	min.	comply
LUGGAGE ROOF RACK	min.	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDOWS	all around	comply
REAR WINDOW ELECTRIC DEFROSTER	req	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
REAR WINDOW WIPER	intermittent & multi-speed w/washers	comply
DOORS		
KEYED DOOR LOCKS		left and right
REAR DOOR TYPE	dutch door	dutch door w liftglass
SIDE DOOR TYPE	sliding left & right	comply
FUEL		
FUEL CAPACITY min. Liters (gals.)	94 (25)	25
INTERIOR		
CRUISE CONTROL AND TILT STEERING	min.	comply
REMOTE KEYLESS ENTRY	min.	comply
AIR CONDITIONING/HEATING	front and rear	comply
RADIO	am/fm w/clock/CD	am/fm w/clock cd
POWER STEERING	req	comply
UPHOLSTERY	cloth	cloth
FLOOR COVERING	carpet	comply
POWER WINDOWS & DOOR LOCKS	min.	front and rear
FLOOR MATS	req	front and rear
SEATS		
SEATING CAPACITY	8	8
FIRST ROW SEAT TYPE	2 - individual	bucket

Table 4 - CONTINUED

WAGON VAN, COMPACT, 4X4

Item # 25A - 4X4

GSA COMPONENTS	GSA MIN. REQ.	GM ASTRO
SAFETY		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
SUSPENSION		
SUSPENSION/SHOCKS	HDA	comply
TIRES AND WHEELS		
WHEEL DIAMETER	15	15
TIRES	P215/R/AS	P215/R/AS



Table 4 - CONTINUED

WAGON VAN, COMPACT, 4X4

Item # 25A - OPTIONAL EQUIPMENT

		GM
ENGINE		ASTRO
EH	ENGINE BLOCK HEATER	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
EXTERIOR		
595F	14260 595 PAINT (FOREST SERVICE)	Available
INTERIOR		
SK	METRIC ODOMETER	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available

WAGON VAN, COMPACT, 4X4

THIS PAGE INTENTIONALLY LEFT BLANK.

Table 5

WAGON VAN, FULL SIZE, 4X2

The wagon van specified shall be an enclosed all-steel, unitized or on-frame constructed, integral body and cab. The side panels and all doors shall be provided with OEM available opening style windows. The curbside shall have extra wide passenger door(s) and rear door(s) shall be hinged, dual vertical. Vehicle shall be equipped with a driver and companion highback bucket seats and removable rear seat(s) for multi-choice seating arrangements for passengers. Interior shall have trimmed side and door panels, and full length headlining; cloth interior, front and rear floor carpet; all doors, except rear doors, shall be capable of being opened from inside and outside, having keyed locks; door checks or straps; dome light(s); scuff plates or skid-resistant surface at side doors; curbside center doors shall be provided with built-in step; spare tire cover if inside mounting is provided; engine maintenance necessities serviceable from the outside.

Item # 21 - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD E150	GM G1300
BODY/CHASSIS			
MFG. MODEL CODE		E11	CG13406
PAYLOAD min. kg. (lbs.)	871 (1920)	2,065	1920
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	3175 (7000) / 3537 (7800)	7,000	7200
WHEEL BASE min./max. cm. (in.)	317 (125) / 351 (138)	138	135
BODY SIZE, OVERALL LENGTH min./max. cm. (in.)	528 (208) / 556 (219)	211.9	218.8
ENGINE			
ENGINE TYPE (Cylinder/Liter)	8 / 4.6	8/4.6	8/5.3
HORSEPOWER (min.)	225	225	285
TORQUE (ft.-lb.)	286	286	325
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.55	3.42
ELECTRICAL			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	750	600
EXTERIOR			
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDOWS	all around	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply
DOORS			
KEYED DOOR LOCKS		left and right	left and right
REAR DOOR TYPE	dual vertical cargo	dual vertical cargo	dual vertical cargo
SIDE DOOR TYPE	hinged	comply	comply
FUEL			
FUEL CAPACITY min. Liters (gals.)	117 (31)	35	31
INTERIOR			
AIR CONDITIONING/HEATING	front & rear	comply	comply
RADIO	am/fm w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply
UPHOLSTERY	cloth	cloth	cloth
FLOOR COVERING	carpet	comply	comply
FLOOR MATS	front	front only	front and rear
SEATS			
SEATING CAPACITY	8	8	8
FIRST ROW SEAT TYPE	2 - individual	bucket	bucket
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
WHEEL DIAMETER	15	15	16
TIRES	P235/R/AS	P235/R/AS	P235/R/as
TOWING			
REAR BUMPER	step type w/ RH1 provisions	comply	comply

Table 5 - CONTINUED

WAGON VAN, FULL SIZE, 4X2

Item # 21 - OPTIONAL EQUIPMENT

ENGINE		FORD E150	GM G1300
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER ENGINE	Available	N/A
	Eng-Cyl/HP/Torque	8/5.4,255,350	" "
EH	ENGINE BLOCK HEATER	Available	Available
DRIVE AXLE			
AWD	OEM ALL WHEEL DRIVE	N/A	Available
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	N/A	Available
EXTERIOR			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Available
DTG	DARK TINTED GLASS	Available	Available
DRL	DAYTIME RUNNING LIGHTS	Available	Std
SE	SIDE DOORS, SLIDING TYPE, VAN	Available	Available
DOORS			
LD	LEFT DOOR	N/A	Available
INTERIOR			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Std	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
SK	METRIC ODOMETER	Available	Available
RKE	REMOTE KEYLESS ENTRY	Available	Available
RF	VINYL FLOOR COVERING	Available	Available
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
RECEIVER HITCH			
RH3	OEM DRAW BAR RECEIVER CLASS III	N/A	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available



Table 5 - CONTINUED

WAGON VAN, FULL SIZE, 4X2

The wagon van specified shall be an enclosed all-steel, unitized or on-frame constructed, integral body and cab. The side panels and all doors shall be provided with OEM available opening style windows. The curbside shall have extra wide passenger door(s) and rear door(s) shall be hinged, dual vertical. Vehicle shall be equipped with a driver and companion highback bucket seats and removable rear seat(s) for multi-choice seating arrangements for passengers. Interior shall have trimmed side and door panels, and full length headlining; cloth interior, front and rear floor carpet; all doors, except rear doors, shall be capable of being opened from inside and outside, having keyed locks; door checks or straps; dome light(s); scuff plates or skid-resistant surface at side doors; curbside center doors shall be provided with built-in step; spare tire cover if inside mounting is provided; engine maintenance necessities serviceable from the outside.

Item # 22 - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD E350	GM G2300
BODY/CHASSIS			
MFG. MODEL CODE		E31	CG23406
PAYLOAD min. kg. (lbs.)	907 (2000)	2,911	2000
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	3877 (8550) / 4081 (9000)	8,700	8600
WHEEL BASE min./max. cm. (in.)	317 (125) / 355 (140)	138	135
BODY SIZE, OVERALL LENGTH min./max. cm. (in.)	528 (208) / 556 (219)	211.9	218.8
ENGINE			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8 / 5.4	8/6.0
HORSEPOWER (min.)	255	255	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73	3.73
ELECTRICAL			
ALTERNATOR min. (Amps)	130	130	145
BATTERY min. (CCA)	600	750	600
EXTERIOR			
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDOWS	all around	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply
DOORS			
KEYED DOOR LOCKS		left and right	left and right
REAR DOOR TYPE	dual vertical cargo	dual vertical cargo	dual vertical cargo
SIDE DOOR TYPE	hinged	comply	comply
FUEL			
FUEL CAPACITY min. Liters (gals.)	117 (31)	35	31
INTERIOR			
AIR CONDITIONING/HEATING	front & rear	comply	comply
RADIO	am/fm w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply
UPHOLSTERY	cloth	cloth	cloth
FLOOR COVERING	carpet	comply	comply
FLOOR MATS	front	front only	front and rear
SEATS			
SEATING CAPACITY	12	12	12
FIRST ROW SEAT TYPE	2 - individual	bucket	bucket
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
WHEEL DIAMETER	16	16	16
TIRES	LT225/R/AS	LT225/R/AS	LT225/R/AS
TOWING			
REAR BUMPER	step type w/ RH1 provisions	comply	comply

Table 5 - CONTINUED

WAGON VAN, FULL SIZE, 4X2

Item # 22 - OPTIONAL EQUIPMENT

BODY/CHASSIS		FORD E350	GM G2300
XL	EXTRA LONG BODY	N/A	Available
ENGINE			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Available	N/A
	Eng-Cyl/HP/Torque	10/6.8,305,420	" , "
YD	DIESEL ENGINE	Available	N/A
	Eng-Cyl/HP/Torque	8/7.3,215,425	" , "
CNG	DEDICATED COMPRESSED NATURAL GAS	Available	Available
CNG2	DUAL FUEL (CNG AND GASOLINE)	N/A	Available
EH	ENGINE BLOCK HEATER	Available	Available
DRIVE AXLE			
AWDC	CHASSIS MANUFACTURER'S APPROVED 4X4 CONVERSION (Non-OEM) Dealers Only	Available	Available
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	N/A	Available
EXTERIOR			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Available
DTG	DARK TINTED GLASS	Available	Available
DRL	DAYTIME RUNNING LIGHTS	Available	Std
SE	SIDE DOORS, SLIDING TYPE, VAN	Available	Available
DOORS			
LD	LEFT DOOR	N/A	Available
INTERIOR			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Std	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
SK	METRIC ODOMETER	Available	Available
RKE	REMOTE KEYLESS ENTRY	Available	Available
RF	VINYL FLOOR COVERING	Available	Available
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
RECEIVER HITCH			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available



Table 5 - CONTINUED

WAGON VAN, FULL SIZE, 4X2

The wagon van specified shall be an enclosed all-steel, unitized or on-frame constructed, integral body and cab. The side panels and all doors shall be provided with OEM available opening style windows. The curbside shall have extra wide passenger door(s) and rear door(s) shall be hinged, dual vertical. Vehicle shall be equipped with a driver and companion highback bucket seats and removable rear seat(s) for multi-choice seating arrangements for passengers. Interior shall have trimmed side and door panels, and full length headlining; cloth interior, front and rear floor carpet; all doors, except rear doors, shall be capable of being opened from inside and outside, having keyed locks; door checks or straps; dome light(s); scuff plates or skid-resistant surface at side doors; curbside center doors shall be provided with built-in step; spare tire cover if inside mounting is provided; engine maintenance necessities serviceable from the outside.

Item # 24 - 4X2

GSA COMPONENTS	GSA MIN. REQ.	FORD E350	GM CG3300
BODY/CHASSIS			
MFG. MODEL CODE		S31	CG33406
PAYLOAD min. kg. (lbs.)	1270 (2800)	2,999	2800
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	4127 (9100)	9,100	9600
WHEEL BASE min./max. cm. (in.)	317 (125) / 394 (155)	138	155
BODY SIZE, OVERALL LENGTH min./max. cm. (in.)	587 (231) / 607 (239)	231.9	238.8
ENGINE			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min.)	255	255	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
TRANSMISSION			
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed
DRIVE AXLE			
PRIMARY DRIVE AXLE	rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.73	3.73
ELECTRICAL			
ALTERNATOR min. (Amps)	130	130	145
BATTERY min. (CCA)	600	750	600
EXTERIOR			
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply
WINDOWS	all around	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply
DOORS			
KEYED DOOR LOCKS			
REAR DOOR TYPE	dual vertical cargo	left and right	left and right
SIDE DOOR TYPE	hinged	dual vertical cargo	dual vertical cargo
FUEL			
FUEL CAPACITY min. Liters (gals.)	117 (31)	35	31
INTERIOR			
AIR CONDITIONING/HEATING	front & rear	comply	comply
RADIO	am/fm w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply
UPHOLSTERY	cloth	cloth	cloth
FLOOR COVERING	carpet	comply	comply
FLOOR MATS	front	front only	front and rear
SEATS			
SEATING CAPACITY	15	15	15
FIRST ROW SEAT TYPE	2 - individual	bucket	bucket
SAFETY			
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply
SUSPENSION			
SUSPENSION/SHOCKS	HDA	comply	comply
TIRES AND WHEELS			
WHEEL DIAMETER	16	16	16
TIRES	LT245/R/AS	LT245/R/AS	LT245/R/AS
TOWING			
REAR BUMPER	step type w/ RH1 provisions	comply	comply

Table 5 - CONTINUED

WAGON VAN, FULL SIZE, 4X2

Item # 24 - OPTIONAL EQUIPMENT

ENGINE		FORD E350	GM CG3300
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Available 10/6.8,305,420	N/A " "
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Available 8/7.3,215,425	N/A " "
CNG	DEDICATED COMPRESSED NATURAL GAS	Available	Available
CNG2	DUAL FUEL (CNG AND GASOLINE)	N/A	Available
EH	ENGINE BLOCK HEATER	Available	Available
DRIVE AXLE			
AWDC	CHASSIS MANUFACTURER'S APPROVED 4X4 CONVERSION (Non-OEM) Dealers Only	Available	Available
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	N/A	Available
EXTERIOR			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Available
DTG	DARK TINTED GLASS	Available	Available
DRL	DAYTIME RUNNING LIGHTS	Available	Std
SE	SIDE DOORS, SLIDING TYPE, VAN	Available	Available
INTERIOR			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Std	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
SK	METRIC ODOMETER	Available	Available
RKE	REMOTE KEYLESS ENTRY	Available	Available
RF	VINYL FLOOR COVERING	Available	Available
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
VUR	VINYL REAR SEAT (req. RF)	N/A	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
SEATS			
S12	12 PASSENGER SEATING	Available	Available
RECEIVER HITCH			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available
DELIVERY			
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
MISCELLANEOUS			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available

CAUTION:

Should you currently operate or are considering the purchase of fifteen (15) passenger vans (Federal Standard Item 24) it is strongly suggested that you visit National Highway Traffic Safety Administration's (NHTSA) website: www.dot.gov/affairs/nhtsa2702.htm to review their findings and recommendations for this type of vehicle.